



ZHEJIANG ZOMAX GARDEN MACHINERY CO.,LTD.

Address: No. 48 Aodihu Road, Taiping Street, Wenling City, Zhejiang Province, China.

Tel: 86 576 8614 6556 / 8614 6558 / 8614 6566

Fax: 86 576 86146567 / 86146568


E-mail: sales@zomaxtool.com

CATALOGUE





Outdoor Power Equipment: Garden & Forestry







About **ZOMAX**

Established in 2005, ZHEJIANG ZOMAX GARDEN MACHINERY CO., LTD, as a subsidiary of ZOMAX Group, is a professional manufacturer of Outdoor Power Garden Machinery, main products including Gasoline Chainsaw, Gasoline Brush Cutter, and 58V Battery Garden Tools, etc. ZOMAX Garden serves as the National High-tech Enterprise and Zhejiang Standard Innovative Enterprise. The products are widely used in fields such as field courtyards, parks, gardens, trees, orchards, tea gardens, and forestry operations.



ZOMAX LOBBY



ZOMAX GEAR WORKSHOP



ZOMAX WAREHOUSE



ZOMAX STAFF CANTEEN



ZOMAX CULTURE CORNER



Perfect Products Manufacture

In the mass production stage, we always adhere to the principle "3 No" to defective products, they are: "No acceptance, No produce, No delivery". By means of the continuous check to make continuous improvement so as to meet users' needs better.









Forceful R&D Team

ZOMAX always take Innovation R&D as the core competitiveness of the enterprise, we have been committed to the research and development of green and environmentally friendly lithium battery products, and low energy cost gas products. Meanwhile, with the unremitting efforts of R&D teams. At present, ZOMAX Garden has won 11 National Invention Patents, over 150 patents for Utility Models and Appearance, and has built the Provincial-level New High-tech Enterprise Research and Development Center.



Pole Reach Pruners and Trimmers

ZMG2602 Multifunction (

A good partner, with the most cost-effective, meet all the requirements of the gardener, pole pruner, long reach hedge trimmer, bush cutter, grass trimmer, flexible shaft, thinkable for your storage and transportation.



















Bore	Ф34 mm
Stroke	28 mm
Displacement	25.4 cc
Rated Power	0.7 kW
Max Speed	11,500 rmp
Idle Speed	3,000±300 rmp
Fuel Tank Capacity	500 ml
Oil Tank Capacity	137 ml
Dry Weight	10.3 kg
Transmission System	Clutch + Hard Shaft+ Gearbox
Working Shaft Lengths	745+745 mm

ZMB5601/5801

Can be used for snow blowing, road leaf cleaning, grassland garbage cleaning, fire extinguishing, etc. Product configuration crankcase intake technology, high power, fast wind speed; easy starter; equipped with machinery using conventional handle mode, good shock absorption effect; at the same time, increase the belt configuration, reduce the load of both hands.

Displacement	25.4 cc	
Rated Power	0.7 kW / 0.9 hp	
Dry Weight	7.3 kg	
Engine	2 stroke	





Applied the patented crankcase intake technology, ensures larger power and faster speed.



Equipped with easy starting device for ease of launching

Model	ZMB5601/5603	ZMB5801/5803
Displacement	54.5 cc	56.5 cc
Rated Power	2.6 kW / 3.5 hp	2.8 kW / 3.8 hp
Bore / Stroke	Φ45.2 / 34 mm	Φ46 / 34 mm
Dry Weight	7.3 kg	7.3 kg
Carburetor	Diaphragm type	Diaphragm type
Ignition System	CDI	CDI
Max Speed	8,500 rpm	8,800 rpm
Fuel Capacity	450 ml	450 ml
Oil Capacity	1:40	1:40
Max Air Speed	75 m/s	80 m/s